PRED4

Immunogenicity to biologic drugs in IBD (IMGEN)

Case Report Form

Study (bar) Code

NB: You may also enter data via the web-based portal on www.ibdresearch.net

On completion, please return to:

Exeter IBD and Pharmacogenetics Research Office
The Research, Innovation, Learning and Development Centre (RILD)

Barrack Road

Exeter

EX2 5DW

1.1 Inclusion Criteria			
	Patient currently aged ≥ 6 years		
	History of ulcerative colitis (UC) or Crohn's disease (CD)		
	Biologic drug and antibody concentrations previously measured in Exeter, or patient prepared to give sample for this purpose.		
	At time of drug and antibody measurement:		
	a. Biologic treatment duration >24 monthsOr		
	 b. Treatment duration ≤ 24 months with episode of loss of response requiring escalation of immunomodulatory, steroid or biologic therapy, or withdrawal of current biologic therapy. 		
	Drug and antibody level taken at one of the following time points:		
	 a. For patients still on drug: within 72 hours prior to the next dose of drug (trough level) Or 		
	b. For patients who have stopped drug: no sooner than 72 hours before and no later than one month after their next dose would have been due and before starting next biologic		
	Patient has not participated in PANTS study.		
	Patient is able to provide informed consent.		
1.2 P	Patient eligibility		
Is the	participant eligible to take part in the research project based on the above criteria?		
	Yes		
	No		
If no,	please give reason(s) for screen failure:		
Inves	tigator's name (print) Date dd / mm / yyyy		
	Bace (printy)		

2.1	Patients Details		
Date	e of Birth dd / mm / yyyy		Sex M F
Wei	ght at 1st dose of current biologic drug (kg
2.2	Ethnicity – Please tick as appropria	te	
Whi	te	Blac	k or Black British
	British		Caribbean
	Irish		African
	Any other white background (please specify)		Any other Black background (please specify)
Mixe	ed	Asia	an or Asian background
	White and Black Caribbean		Indian
	White and Black African		Pakistani
	White and Asian		Bangladeshi
	Any other mixed background (please specify)		Any other Asian background (please specify)
Chin	ese or Other Ethic group		
	Chinese		
	Any other ethnic group (please specify)		
	Bangladeshi		
	Not stated		
2.3	Participant informed consent		
Date	e participant signed written consent form	1	dd / mm / yyyy
Date	e of blood sample taken		dd / mm / yyyy
Nam	e of person taking consent (print)		
Desi	gnation		
Hosp	pital name:		

3.1 Other significant n	nedical history	Yes	No
If yes please give details h	ere		
3.2 Smoking History			
Never Smoked			
Ex Smoker			
Current Smoker			
3.2.1 Start date		dd / mm / yyyy	
3.2.2 End date		dd / mm / yyyy	
3.3.3 Maximum number o	f cigarettes per day		
4.1 Diagnosis of IBD			
Crohn's disease	Date of diagnosis	dd / mm / yyyy	
Ulcerative Colitis	Date of diagnosis	dd / mm / yyyy	
BD unclassified	Date of Diagnosis	dd / mm / yyyy	

5.1 Current biologic treatment			
Infliximab Adalimumab G	olimumab Vedolizumab Ustekinumab		
5.2 Past Biologic treatment			
Biologic	Reason for stopping 1. Primary non-response 2. Secondary loss of response 3. Adverse Events (specify) 4. Surgery (specify) 5. Elective withdrawal 6. Other (specify)		
1st Biologic			
2 nd Biologic			
3 rd Biologic			
4 th Biologic			
5.3 Start date of current biologic dre	dd / mm / yyyy		
5.4 Starting dose of current biologic drug:			
5.5 Stop date of current biologic drug (if applicable): dd / mm / yyyy			
5.6 Reason for stopping (if applicable):			
Primary non-response			
Secondary loss of response			
Adverse Events (specify):			
Surgery (specify)			
Elective withdrawal			
Other (specify):			

5.7 Immunomodulator drugs	s at start of current biologic drugs Yes	5: No
5.8 Concomitant immunomo	dulator drug?	
Drug	Dose, rou	te and frequency
Azathioprine		. ,
7.Zutinopinie		
Mercaptopurine		
Methotrexate		
Other (medity)		
Other (specify)		
5.9 Adverse reactions to bio	logic drugs (please specify):	
6.1 Date serum sample sent6.2 Disease activity at time of the Harvey Bradshaw IndexCrohn's Disease- Harvey Bradshaw	of serum sample: Simple Clinical Colitis	d / mm / yyyy
Number of liquid stools/day (sco	pre 1 per movement)	
Abdominal pain	None Mild Moderate Severe	0 1 2 3
Abdominal mass	None Dubious Definite Definite and tender	0 1 2 3
General wellbeing	Very well Slightly below par Poor Very poorly Terrible	0 1 2 3 4
Number of extra GI manifestations of IBD (score 1 per item)	Mouth ulcers Anal fissure, new fistula, perianal absorberythema nodosum, Pyoderma gangre	

UC- Simple Clinical Colitis Activity Index

Symptom	Score	Symptom	Score
Bowel frequency(day)	frequency(day) Blood in stool		
1-3	0	Trace	1
4-6	1	Occasionally frank	2
7-9	2	Usually frank	3
>9	3	General wellbeing	
Bowel frequency(night)		Very well	0
1-3	1	Slightly below par	1
4-6	2	Poor	2
Urgency of defecation		Very poor	3
Hurry	1	Terrible	4
Immediately	2	Extra-colonic features	1 point each
Incontinence	3	Total Score	

6.3 Medications at time of serum sample

Medications	Dose, route and frequency

f you have any other comments regarding this patient please give them here.		

ly ither